



BART s ESD

0RV20214



DESCRIPTION

Ultra-lightweight footwear with soft, **water repellent**, Nubuck-effect microfibre upper. These **safety shoes** feature a **lightweight** AirToe Aluminium toe cap **and** latest-generation PU mix **ultra-lightweight sole** which significantly reduces the weight of the footwear benefiting the performance and well-being of workers. **Antistatic shoes** with **anti-abrasion**, **anti-oil** and **non-slip** sole. The brand-new **fabric anti-perforation insole**, helps to make the **work shoes** lighter, protecting the sole of the foot against nails and splinters, while the Wingtex® **air tunnel lining** ensures long-lasting comfort and well-being. **CI safety footwear**, with special **protection of the sole from the cold** (At temp. ≤ 10 °C.), suitable for: **transport & logistics** sector, **electricians**, **carpenters**, **artisans**, and **warehouse workers**. The **U-Power Original antibacterial insole** in a lightweight polyurethane mix, ensures feet stay comfortable and healthy thanks to its **self-modelling**, **anatomic** and **breathable** properties. **Safety work shoes** ideal for both **men** and **women**.



UPPER

Nubuck-effect, water-repellent microfibre

LINING

Wingtex® with breathable air tunnel

TOECAP

AirToe Aluminium

ANTIPERFORATION

Save & Flex Air

MIDSOLE

U-Power Original

SOLE/TREAD

New generation anti-abrasion, anti-oil, anti-slip and antistatic PU compound

ANATOMICAL INSOLE

Natural Confort 11 Mondopoint

SAVE & FLEX AIR

Save & Flex Air anti-perforation insert. Ultra-lightweight (extralight) protective insert designed to effectively protect the foot from nails and sharp objects without adding extra weight to the footwear. It provides high safety standards, flexibility, and full-foot plantar coverage, enhancing dynamic comfort during movement.

PROTECTION CLASS

S3S CI FO SR

EU NORM

EN ISO 20345:2022

SIZES

35-48 (UK: 2-13)

AIRTOE ALUMINIUM TOE CAP

Made from aluminium to combine lightness with protection, ensuring thermal and dynamic comfort for the foot. Weighing approximately 54 grams, it is designed to maintain high safety standards without adding weight to the footwear.

ESD (ELECTROSTATIC DISCHARGE)

Technology designed to continuously dissipate electrostatic charges accumulated by the human body to the ground. Certified footwear complies with the requirements of the CEI EN 61340 standards for the protection of electronic components, making it suitable for use in EPA (Electrostatic Protected Area) environments during both production and handling of sensitive devices.

U-POWER ORIGINAL

Anatomical footbed with arch support structure made from a soft dynamic BASF compound. It features self-moulding properties designed to evenly distribute body weight pressure across the sole of the foot, reducing pressure points and optimizing dynamic comfort.

TECHNOLOGIES

