FUERTE s

0RI21314



DESCRIPTION

Safety footwear with **Vibram anti-slip**, **oil-resistant**, **anti-static sole** and ensuring special protection of the sole from the cold (at temp. ≤ 10 °C.). **Low-cut safety shoes** with **water repellent** grain leather suitable for use in **cold climates**, **mines** and **oil fields**. **Men's work shoes** with Airtoe **composite toe cap** and Save & Flex® PLUS **fabric anti-perforation** system sewn directly on the upper to guarantee **100% protection** on the entire surface of the foot. **Anti-slip**, **comfortable** and **lightweight** work shoes, with WOW2 **self-modelling insole** and **anti-fatigue insert** capable of reducing body stress and improving stability and balance, with an effect of greater perception of well-being and long-lasting comfort. Wingtex® air tunnel lining for **high breathability** and foot health.



UPPER

Grained leather, water repellent

LINING

Wingtex® breathable air tunnel

TOECAP

AirToe Composite

ANTIPERFORATION

Save & Flex® PLUS

MIDSOLE

WOW2 anti-fatigue

SOLE/TREAD

PU/VIBRAM

ANATOMICAL INSOLE

Natural Confort 11 Mondopoint

VIBRAM®

A world leader in the industry, Vibram® develops rubber soles designed to ensure grip, stability, durability and safety. The result of over 80 years of research and innovation, they combine advanced design and exclusive compounds to deliver high performance, comfort and reliability in any environment.

PROTECTION CLASS

S3S CI HI HRO FO SR

EU NORM

EN ISO 20345:2022 S3S HI CI HRO FO SR

SIZES

38-47 (UK: 5-12)

AIRTOE COMPOSITE TOECAP

A versatile solution made from a completely metal-free composite material. Weighing approximately 50 grams, it offers excellent thermal insulation and a lightweight design suitable for prolonged use in a variety of working environments.

SAVE & FLEX® PLUS

Save & Flex® PLUS anti-perforation insert. Textile, metal-free protective insert designed to provide superior lightness and flexibility compared to traditional steel plates. Sewn directly onto the upper, it ensures full-foot plantar protection. It offers sole penetration resistance up to 1100 N in compliance with current safety standards.

COPYRIGHTS © U-POWER - DON'T WORRY... BE HAPPY! BY U-GROUP S.R.L.

WOW 2

Anatomical footbed composed of two technical elements: an arch support structure made from a dynamic BASF compound with self-moulding properties, designed to evenly distribute body weight, and an anti-fatigue insert made from a special BASF compound. This combination reduces bodily stress caused by prolonged standing, helping to minimize daily fatigue throughout the working day.

TECHNOLOGIES

COPYRIGHTS © U-POWER - DON'T WORRY... BE HAPPY! BY U-GROUP S.R.L.