

# OBERYN ESD

ORT20114



## DESCRIPTION

The Obery of the Red Stratos range are low-cut safety shoes with protection class S3S CI HI HRO FO SR, designed to guarantee maximum safety and comfort even in demanding conditions. They offer PUTEK® star high tenacity, water-repellent and breathable uppers, an ultra-lightweight NanoFiber toecap and a metal-free perforation-resistant midsole. The Super Critical Technology sole together with the HRO rubber ensures high grip, heat resistance and protection from the cold, while the breathable lining and U-Power Original footbed offer extended comfort. Ideal for technical, industrial and logistics environments.



### UPPER

Putek Star high tenacity, water-repellent, breathable

### LINING

Wingtex® with breathable aria tunnel

### TOECAP

NanoFiber Toe Cap, ultralight, metal free.

### ANTIPERFORATION

Ultra-lightweight anti-puncture footbed.

### MIDSOLE

U-Power Original.

### SOLE/TREAD

Black HRO rubber

### ANATOMICAL INSOLE

Natural Confort 11 Mondopoint®

### SAVE & FLEX AIR

Save & Flex Air anti-perforation insert. Ultra-lightweight (extralight) protective insert designed to effectively protect the foot from nails and sharp objects without adding extra weight to the footwear. It provides high safety standards, flexibility, and full-foot plantar coverage, enhancing dynamic comfort during movement.

### PU TEK STAR

A protective fabric featuring a geometric star pattern. It offers durability, flexibility and a PVC-free construction. Certified to ISO 20344:11, it provides air circulation and breathability four times greater than the minimum requirements for S3 safety footwear.

## PROTECTION CLASS

S3S CI HI HRO FO SR

## EU NORM

EN ISO  
20345:2022+A1:2024

## SIZES

35-48

### NANOFIBER TOE

Made from nanofibre to ensure maximum protection whilst keeping the weight to a minimum. Weighing around 40 grams, it is the lightest option in the range, designed to optimise balance and reduce fatigue during prolonged use.

### ESD (ELECTROSTATIC DISCHARGE)

Technology designed to continuously dissipate electrostatic charges accumulated by the human body to the ground. Certified footwear complies with the requirements of the CEI EN 61340 standards for the protection of electronic components, making it suitable for use in EPA (Electrostatic Protected Area) environments during both production and handling of sensitive devices.

### U-POWER ORIGINAL

Anatomical footbed with arch support structure made from a soft dynamic BASF compound. It features self-moulding properties designed to evenly distribute body weight pressure across the sole of the foot, reducing pressure points and optimizing dynamic comfort.

### SUPER CRITICAL TEHNOLOGY

Next-generation foam that combines extreme lightness with consistent energy return. It absorbs impact, reduces fatigue, and delivers a natural, continuous boost throughout the day.

## TECHNOLOGIES



PU Tek STAR  
HYPERTEX technology

