



# PARKER s ESD

0RV10024



## DESCRIPTION

**Ultra-light anti-static safety shoes** with soft nubuck-effect microfibre, water repellent upper. **Ankle-high safety shoes** with light aluminium **AirToe toecap** and **new generation abrasion-resistant, oil-resistant, no-slip and anti-static PU compound sole**. **Lighter safety shoes** made with innovative materials for the construction of the sole and of the perforation-resistant system, consisting of **ultralight puncture-resistant textile insole**. The result is a **safety shoe** whose **weight** has been significantly **reduced**, without compromising safety, to the benefit of workers' wellness. **Highly breathable safety shoes for men/women** with **Wingtex® air tunnel lining** and **anatomical, antibacterial and sweat-proof U-Power Original insole**. The particular protection of the sole from the cold ( $\leq 10^{\circ}\text{C}$ ) make these safety shoes particularly **suitable for: electricians, carpenters, craftsmen, warehouse workers, and the logistics and transport sectors.**



### UPPER

Nubuck-effect, water-repellent microfibre

### LINING

Wingtex® with breathable air tunnel

### TOECAP

AirToe Aluminium

### ANTIPERFORATION

Save & Flex Air

### MIDSOLE

U-Power Original

### SOLE/TREAD

Abrasion-resistant, oil-resistant, no-slip and anti-static in a new generation PU compound

## PROTECTION CLASS

S3S CI FO SR

## EU NORM

EN ISO 20345:2022

## SIZES

35-48 (UK: 2-13)

### ANATOMICAL INSOLE

Natural Confort 11 Mondopoint

### SAVE & FLEX AIR

Save & Flex Air anti-perforation insert. Ultra-lightweight (extralight) protective insert designed to effectively protect the foot from nails and sharp objects without adding extra weight to the footwear. It provides high safety standards, flexibility, and full-foot plantar coverage, enhancing dynamic comfort during movement.

### AIRTOE ALUMINIUM TOE CAP

Made from aluminium to combine lightness with protection, ensuring thermal and dynamic comfort for the foot. Weighing approximately 54 grams, it is designed to maintain high safety standards without adding weight to the footwear.

### ESD (ELECTROSTATIC DISCHARGE)

Technology designed to continuously dissipate electrostatic charges accumulated by the human body to the ground. Certified footwear complies with the requirements of the CEI EN 61340 standards for the protection of electronic components, making it suitable for use in EPA (Electrostatic Protected Area) environments during both production and handling of sensitive devices.

### U-POWER ORIGINAL

Anatomical footbed with arch support structure made from a soft dynamic BASF compound. It features self-moulding properties designed to evenly distribute body weight pressure across the sole of the foot, reducing pressure points and optimizing dynamic comfort.

## TECHNOLOGIES

