

ANDY s ESD

0SN10244



DESCRIPTION

High , comfortable work shoes with water-repellent tumbled natural nubuck leather upper . Highly breathable safety footwear with Wingtex® air tunnel lining , providing extended comfort throughout the day. ESD-certified anti-static safety shoes equipped with a slip-resistant PU/PU Light Grip outsole . Anatomical U-Power Original footbed with self-molding properties distributes body weight evenly over the entire sole of the foot, ensuring comfort and a feeling of well-being. The AirToe Aluminium safety toe cap provides protection and safety of the toes and the front of the foot , while the Save&Flex Plus , totally "Metal Free" anti-puncture system is sewn directly onto the upper and protects 100% of the sole of the foot. Non-slip work shoes ideal for assembly , warehouse worker , bricklayer , carpenter , plumber , trucking and logistics , tire mechanic , gardener and farmer .



UPPER

Natural tumbled nubuck leather, water repellent

LINING

Wingtex® breathable air tunnel

TOECAP

AirToe Aluminium

ANTIPERFORATION

Save & Flex® PLUS®, "no metal" puncture-resistant footbed

MIDSOLE

U-Power original

SOLE/TREAD

PU/PU LIGHT GRIP

ANATOMICAL INSOLE

Natural Confort 11 Mondopoint

AIRTOE ALUMINIUM TOE CAP

Made from aluminium to combine lightness with protection, ensuring thermal and dynamic comfort for the foot. Weighing approximately 54 grams, it is designed to maintain high safety standards without adding weight to the footwear.

SAVE & FLEX® PLUS

Save & Flex® PLUS anti-perforation insert. Textile, metal-free protective insert designed to provide superior lightness and flexibility compared to traditional steel plates. Sewn directly onto the upper, it ensures full-foot plantar protection. It offers sole penetration resistance up to 1100 N in compliance with current safety standards.

PROTECTION CLASS

S3S CI FO SR

EU NORM

EN ISO 20345:2022

SIZES

35-48

ESD (ELECTROSTATIC DISCHARGE)

Technology designed to continuously dissipate electrostatic charges accumulated by the human body to the ground. Certified footwear complies with the requirements of the CEI EN 61340 standards for the protection of electronic components, making it suitable for use in EPA (Electrostatic Protected Area) environments during both production and handling of sensitive devices.

U-POWER ORIGINAL

Anatomical footbed with arch support structure made from a soft dynamic BASF compound. It features self-moulding properties designed to evenly distribute body weight pressure across the sole of the foot, reducing pressure points and optimizing dynamic comfort.

TECHNOLOGIES

