



BART s ESD

0RV20214



DESCRIPTION

Work shoes that are ultralight with a **water-repellent** upper made of soft microfiber Nubuck effect. These **safety shoes** mount a **lightweight** AirToe Aluminium **toe cap and ultra-light** new generation PU compound **outsole** that greatly reduces the weight of the shoe to the advantages of worker's performance and well-being. **Anti-static shoes** with **anti-abrasion** , **anti-oil** and **anti-slip** outsole. The brand new **anti-puncture textile insole** contributes to the lightness of the **work shoes** by ensuring protection of the soles of the feet against nails and splinters, while the Wingtex® **air tunnel lining** ensures prolonged comfort and well-being. **CI safety footwear** , with special **protection of the sole from cold** (A temp. ≤ 10 °C.), suitable for: **transportation & logistics** sector, **electricians** , **carpenters** , **craftsmen** , **warehouse workers** . The **U-Power Original antibacterial insole** made of lightweight polyurethane compound ensures comfort and foot health due to its **self-molding** , **anatomical** and **breathable properties** . **Work safety** shoes ideal for both **men** and **women** .



PROTECTION CLASS

S3S CI FO SR

EU NORM

EN ISO 20345:2022

SIZES

35-48

UPPER

Microfiber nubuck effect, water repellent

TOECAP

AirToe Aluminium

MIDSOLE

U-Power Original

ANATOMICAL INSOLE

Natural Confort 11 Mondopoint

LINING

Wingtex® breathable aria tunnel

ANTIPERFORATION

Save & Flex Air

SOLE/TREAD

New generation PU compound anti-abrasion, anti-oil, anti-slip and anti-static

SAVE & FLEX AIR

Save & Flex Air anti-perforation insert. Ultra-lightweight (extralight) protective insert designed to effectively protect the foot from nails and sharp objects without adding extra weight to the footwear. It provides high safety standards, flexibility, and full-foot plantar coverage, enhancing dynamic comfort during movement.

AIRTOE ALUMINIUM TOE CAP

Made from aluminium to combine lightness with protection, ensuring thermal and dynamic comfort for the foot. Weighing approximately 54 grams, it is designed to maintain high safety standards without adding weight to the footwear.

ESD (ELECTROSTATIC DISCHARGE)

Technology designed to continuously dissipate electrostatic charges accumulated by the human body to the ground. Certified footwear complies with the requirements of the CEI EN 61340 standards for the protection of electronic components, making it suitable for use in EPA (Electrostatic Protected Area) environments during both production and handling of sensitive devices.

U-POWER ORIGINAL

Anatomical footbed with arch support structure made from a soft dynamic BASF compound. It features self-moulding properties designed to evenly distribute body weight pressure across the sole of the foot, reducing pressure points and optimizing dynamic comfort.

TECHNOLOGIES

