



COSMO s

0RL10524



DESCRIPTION

High-top safety shoes made of soft and durable water-repellent pull-up leather with PU reinforcing toe cap, double string and Kevlar® DuPont™ stitching that provide great mechanical resistance to traction and heat. Safety footwear with special insulation from heat and cold. PU/Vibram outsole is especially suitable for use on treacherous surfaces and uneven terrain, improving stability and ground grip. AirToe Aluminium toe cap for toe protection and Save & Flex® PLUS all-textile Puncture resistance system sewn directly onto the upper for full coverage of the sole of the foot. Work shoes ideal for wet and cold environments, construction, gardening and agriculture, installations, port areas, road work and road maintenance, and in all situations where outdoor use footwear is required with special heat and cold insulation of the bottom of the shoe and superior heat resistance of the sole. Non-slip, oil and abrasion resistant sole.



UPPER

Water-repellent pull-up leather

LINING

Wingtex® breathable ariatunnel

TOECAP

AirToe Aluminium

ANTIPERFORATION

Save & Flex® PLUS®, "no metal" textile anti-puncture footbed

MIDSOLE

U-Power original

SOLE/TREAD

PU/VIBRAM and Infinergy®

ANATOMICAL INSOLE

Natural Confort 11 Mondopoint®

VIBRAM®

A world leader in the industry, Vibram® develops rubber soles designed to ensure grip, stability, durability and safety. The result of over 80 years of research and innovation, they combine advanced design and exclusive compounds to deliver high performance, comfort and reliability in any environment.

AIRTOE ALUMINIUM TOE CAP

Made from aluminium to combine lightness with protection, ensuring thermal and dynamic comfort for the foot. Weighing approximately 54 grams, it is designed to maintain high safety standards without adding weight to the footwear.

PROTECTION CLASS

S3S CI HI HRO FO SR

EU NORM

EN ISO 20345:2022

SIZES

38-48

SAVE & FLEX® PLUS

Save & Flex® PLUS anti-perforation insert. Textile, metal-free protective insert designed to provide superior lightness and flexibility compared to traditional steel plates. Sewn directly onto the upper, it ensures full-foot plantar protection. It offers sole penetration resistance up to 1100 N in compliance with current safety standards.

INFINERGY®

Closed-cell expanded polyurethane cushioning insert designed to return energy with every step. Engineered to reduce muscle fatigue, it provides consistent energy return during both walking and prolonged work activities, ensuring high levels of comfort and long-lasting cushioning in all working conditions.

U-POWER ORIGINAL

Anatomical footbed with arch support structure made from a soft dynamic BASF compound. It features self-moulding properties designed to evenly distribute body weight pressure across the sole of the foot, reducing pressure points and optimizing dynamic comfort.

TECHNOLOGIES

