



# DROP GTX s

0GO10054



## DESCRIPTION

Totally "no metal", comfortable U-Power polish safety shoes from the GORE-TEX® range/assortment, with soft, water-repellent grain leather upper, breathable, waterproof, Composite toe cap, anti-puncture, anti-slip and PU/VIBRAM sole.

### UPPER

Soft full-grain leather, water-repellent

### LINING

GORE-TEX® Performance membrane

### TOECAP

AirToe Composite

### ANTIPERFORATION

Save & Flex® PLUS benefits

### MIDSOLE

U-Power original

### SOLE/TREAD

PU/VIBRAM

### ANATOMICAL INSOLE

Natural Confort 11 Mondopoint

### GORE-TEX®

Thanks to the GORE-TEX® membrane, water stays out whilst sweat is wicked away, ensuring dry feet and optimal breathability in all working conditions. The technology also provides an effective barrier against the penetration of common chemicals, ensuring lasting protection and comfort throughout the day.

### VIBRAM®

A world leader in the industry, Vibram® develops rubber soles designed to ensure grip, stability, durability and safety. The result of over 80 years of research and innovation, they combine advanced design and exclusive compounds to deliver high performance, comfort and reliability in any environment.

### AIRTOE COMPOSITE TOECAP

Airtoe Composite Toecap. A versatile solution made from a completely metal-free composite material. Weighing approximately 50 grams, it offers excellent thermal insulation and a lightweight design suitable for prolonged use in a variety of working environments.

### SAVE & FLEX® PLUS

Save & Flex® PLUS anti-perforation insert. Textile, metal-free protective insert designed to provide superior lightness and flexibility compared to traditional steel plates. Sewn directly onto the upper, it ensures full-foot plantar protection. It offers sole penetration resistance up to 1100 N in compliance with current safety standards.

### U-POWER ORIGINAL

Anatomical footbed with arch support structure made from a soft dynamic BASF compound. It features self-moulding properties designed to evenly distribute body weight pressure across the sole of the foot, reducing pressure points and optimizing dynamic comfort.

## PROTECTION CLASS

S7S CI HI HRO FO SR

## EU NORM

EN ISO 20345:2022

## SIZES

38-47

## TECHNOLOGIES

