



## STEVE s ESD

0RV20054



### DESCRIPTION

**Low-top safety shoes** with **PUTEK® star** upper and **toe protection** with anti-abrasion film. **Highly abrasion-resistant ultralight work shoes** with special **sole protection from the cold** . These **slip-resistant shoes** with **anti-static** , **anti-oil** and **anti-abrasion soles** mount a **tread** made with a special **new-generation** super lightweight PU compound that significantly reduces the overall weight of the shoe. The **AirToe Aluminium toe cap** , and the new **ultra-lightweight anti-puncture textile insole** , provide toe and sole protection while maintaining the lightness of the footwear. Well-being and comfort are ensured by the presence of the **U-Power Original** footbed made of a lightweight, highly breathable polyurethane compound; breathability is also ensured by the Wingtex® **air tunnel lining** , which ensures air recirculation and moisture absorption. **Safety footwear** suitable for: general **craftsmen** , **electrician** , **carpenter** , **warehouse worker** , **transportation** and **logistics** .



### UPPER

PUTEK® star and anti-abrasion film to protect the tip

### LINING

Wingtex® breathable air tunnel

### TOECAP

AirToe Aluminium

### ANTIPERFORATION

Save & Flex Air

### MIDSOLE

U-Power Original

### SOLE/TREAD

New generation PU compound anti-abrasion, anti-oil, anti-slip and anti-static

### PROTECTION CLASS

S3S CI FO SR

### EU NORM

EN ISO 20345:2022

### SIZES

35-48

### ANATOMICAL INSOLE

Natural Confort 11 Mondopoint

### SAVE & FLEX AIR

Save & Flex Air anti-perforation insert. Ultra-lightweight (extralight) protective insert designed to effectively protect the foot from nails and sharp objects without adding extra weight to the footwear. It provides high safety standards, flexibility, and full-foot plantar coverage, enhancing dynamic comfort during movement.

### PU TEK STAR

A protective fabric featuring a geometric star pattern. It offers durability, flexibility and a PVC-free construction. Certified to ISO 20344:11, it provides air circulation and breathability four times greater than the minimum requirements for S3 safety footwear.

### AIRTOE ALUMINIUM TOE CAP

Made from aluminium to combine lightness with protection, ensuring thermal and dynamic comfort for the foot. Weighing approximately 54 grams, it is designed to maintain high safety standards without adding weight to the footwear.

## ESD (ELECTROSTATIC DISCHARGE)

Technology designed to continuously dissipate electrostatic charges accumulated by the human body to the ground. Certified footwear complies with the requirements of the CEI EN 61340 standards for the protection of electronic components, making it suitable for use in EPA (Electrostatic Protected Area) environments during both production and handling of sensitive devices.

## U-POWER ORIGINAL

Anatomical footbed with arch support structure made from a soft dynamic BASF compound. It features self-moulding properties designed to evenly distribute body weight pressure across the sole of the foot, reducing pressure points and optimizing dynamic comfort.

## TECHNOLOGIES



wingtex

SaveFlex  
air

Natural  
CONFORT(1)

Airtoe  
ALUMINIUM II



PU Tek STAR  
HYPERTEX technology