

# STING s ESD

0RK10094



## DESCRIPTION

**High-top safety shoes** with **water-repellent** smooth grain leather upper. **Non-slip** , **oil-resistant** , **anti-abrasion** and **anti-static outsole** . **Waterproof work shoes** with Save & Flex® PLUS Puncture resistance system that provides **100% protection of** the sole of the **foot** and Fibertoe composite toe cap for toe and finger safety. **Safety footwear** with special sole **protection from cold** (A temp. ≤ 10 °C.) ideal in cold and wet environment with **ultra breathable** aria tunnel **lining** that ensures **foot health and well-being**. Comfort is also ensured by the **breathable and washable** New ErgoDry **insole** that is also slip-resistant, abrasion-resistant, antibacterial and antistatic. **Work shoes "Metal Free "** suitable for both men and women ideal **for automotive** ,**mechanical industry** , **transportation** and **logistics** , **paper mills** , **craftsmen** , **electricians** , **carpenters** and **warehouse workers** .



## UPPER

Soft, smooth grain leather; water-repellent with polyurethane reinforcing toe cap

## LINING

Wingtex® breathable aria tunnel

## TOECAP

FiberToe

## ANTIPERFORATION

Save & Flex Benefits

## MIDSOLE

New ErgoDry

## SOLE/TREAD

Compact PU anti-abrasion, anti-oil, anti-slip and anti-static

## ANATOMICAL INSOLE

Natural Confort 11 Mondopoint

## FIBERTOE TOE CAP

Fibertoe toe cap. Made from fibreglass to provide high mechanical resistance to impact and crushing. Weighing approximately 52 grams, it offers thermal insulation, flexibility and comfort, whilst keeping the footwear lightweight and safe.

## SAVE & FLEX® PLUS

Save & Flex® PLUS anti-perforation insert. Textile, metal-free protective insert designed to provide superior lightness and flexibility compared to traditional steel plates. Sewn directly onto the upper, it ensures full-foot plantar protection. It offers sole penetration resistance up to 1100 N in compliance with current safety standards.

## PROTECTION CLASS

S3S CI FO SR

## EU NORM

EN ISO 20345:2022

## SIZES

35-48

## ESD (ELECTROSTATIC DISCHARGE)

Technology designed to continuously dissipate electrostatic charges accumulated by the human body to the ground. Certified footwear complies with the requirements of the CEI EN 61340 standards for the protection of electronic components, making it suitable for use in EPA (Electrostatic Protected Area) environments during both production and handling of sensitive devices.

## ERGO DRY

Anatomical footbed developed according to foot morphology, composed of a combination of an activated carbon felt base and an open-cell fabric layer. The structure is breathable, abrasion-resistant, non-slip, antibacterial, antistatic, and washable. Designed to keep feet dry, it is also available in the White ErgoDry version, specifically intended for white footwear and the food industry sector.

## TECHNOLOGIES

