



TONY s ESD

0RV20126



DESCRIPTION

Breathable, ultralight safety shoes with cool, super-breathable **Airnet® uppers** and soft **suede leather**. U-Power has reduced the weight of these **work shoes** through the use of a new-generation PU compound, which is **particularly light** and is used to make the tread - **non-slip, anti-abrasion, anti-static** and **anti-oil** - which, combined with the new **ultra-lightweight anti-puncture insole** and **AirToe toe cap**, has made it possible to halve the overall weight of the shoe. These **lightweight, breathable safety shoes** are ideal for the **warmer months** and provide protection and safety without forgetting comfort. In fact, the **U-Power Original** footbed - an anatomical insole made of a lightweight polyurethane compound - , , and the **Wingtex® air tunnel lining** ensure comfort and foot health. **Safety footwear** suitable for dry environment and especially for **truck drivers, logistics, warehouseman, carpenter, electrician** and general **craftsmen**.



UPPER

AirNet® ultra breathable and soft suede leather

LINING

Wingtex® breathable air tunnel

TOECAP

AirToe Aluminium

ANTIPERFORATION

Save & Flex Air

MIDSOLE

U-Power Original

SOLE/TREAD

New generation PU compound anti-abrasion, anti-oil, anti-slip and anti-static

ANATOMICAL INSOLE

Natural Confort 11 Mondopoint

SAVE & FLEX AIR

Save & Flex Air anti-perforation insert. Ultra-lightweight (extralight) protective insert designed to effectively protect the foot from nails and sharp objects without adding extra weight to the footwear. It provides high safety standards, flexibility, and full-foot plantar coverage, enhancing dynamic comfort during movement.

AIRTOE ALUMINIUM TOE CAP

Made from aluminium to combine lightness with protection, ensuring thermal and dynamic comfort for the foot. Weighing approximately 54 grams, it is designed to maintain high safety standards without adding weight to the footwear.

ESD (ELECTROSTATIC DISCHARGE)

Technology designed to continuously dissipate electrostatic charges accumulated by the human body to the ground. Certified footwear complies with the requirements of the CEI EN 61340 standards for the protection of electronic components, making it suitable for use in EPA (Electrostatic Protected Area) environments during both production and handling of sensitive devices.

U-POWER ORIGINAL

Anatomical footbed with arch support structure made from a soft dynamic BASF compound. It features self-moulding properties designed to evenly distribute body weight pressure across the sole of the foot, reducing pressure points and optimizing dynamic comfort.

TECHNOLOGIES



PROTECTION CLASS

S1PS FO SR

EU NORM

EN ISO 20345:2022

SIZES

35-48